

PYK (ADHESIVOS BASE SOLVENTE) - COLA DE SILICONA PAC00029



SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

- 1.1 Product identifier: PYK (ADHESIVOS BASE SOLVENTE) COLA DE SILICONA PAC00029
- 1.2 Relevant identified uses of the substance or mixture and uses advised against: Relevant uses: Adhesive

Uses advised against: All uses not specified in this section or in section 7.3

1.3

Details of the supplier of the safety data sheet: APLI PAPER, S.A Avda. Arrahona, 120-124 Pol. Ind. Santiga 08210 BARBERA DEL VALLES Phone.: +34937479100 - Fax: +34 937479113 <u>Apli@apli.com</u>; www.apli.com 112

1.4 Emergency telephone number:

SECTION 2: HAZARDS IDENTIFICATION

- 2.1 Classification of the substance or mixture: CLP Regulation (EC) n° 1272/2008: Classification of this product has been carried out in accordance with CLP Regulation (EC) n° 1272/2008. Flam. Liq. 2: Flammable liquids, Category 2, H225
- 2.2 Label elements: CLP Regulation (EC) n° 1272/2008: Danger



Hazard statements:

Flam. Liq. 2: H225 - Highly flammable liquid and vapour

Precautionary statements:

P101: If medical advice is needed, have product container or label at hand P102: Keep out of reach of children P210: Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking P280: Wear protective gloves/protective clothing/eye protection/face protection P303+P361+P353: IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower P370+P378: In case of fire: Use ABC powder extinguisher to extinguish. P403+P235: Store in a well-ventilated place. Keep cool P501: Dispose of contents and / or their container according to the separated collection system used in your municipality

2.3 Other hazards:

Non-applicable

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Substance:

Non-applicable

3.2 Mixture: Chemical description: Mixture composed of resins in solvents Components: None of the substances contained in the mixture are above the values fixed in Annex II of Regulation (EC) n°1907/2006

SECTION 4: FIRST AID MEASURES 4.1 Description of first aid measures: - CONTINUED ON NEXT PAGE Date of compilation: 9/28/2015 Version: 1 Page 1/9



PYK (ADHESIVOS BASE SOLVENTE) - COLA DE SILICONA PAC00029

SECTION 4: FIRST AID MEASURES (continue)

Consult a doctor in case of discomfort with this Safety data Sheet.

By inhalation:

In case of symptoms, move the person affected into fresh air.

By skin contact:

In case of contact it is recommended to clean the affected area thoroughly with water and neutral soap. In case of modifications on the skin (stinging, redness, rashes, blisters,...), seek medical advice with this Safety data Sheet By eye contact:

Rinse with water until the product has been eliminated. In case of problems, consult a doctor with the SDS of this product.

By ingestion/aspiration:

In case of consumption in large quantities, it is recommended to seek medical assistance.

4.2 Most important symptoms and effects, both acute and delayed:

Acute and delayed effects are indicated in sections 2 and 11.

4.3 Indication of any immediate medical attention and special treatment needed:

Non-applicable

SECTION 5: FIREFIGHTING MEASURES

5.1 Extinguishing media:

Product is non-flammable, low risk of fire by the inflammability characteristics of the product in normal conditions of storage, manipulation and use. In the case of the existence of sustained combustion as a result of improper manipulation, storage or use any type of extinguishing agent can be used (ABC Powder, water,...)

5.2 Special hazards arising from the substance or mixture:

Due to its non-flammable nature, the product does not present a fire risk under normal conditions of storage, manipulation and use. 5.3 Advice for firefighters:

Depending on the magnitude of the fire it may be necessary to use full protective clothing and individual respiratory equipment. Minimum emergency facilities and equipment should be available (fire blankets, portable first aid kit,...) in accordance with Directive 89/654/EC. Additional provisions:

Act in accordance with the Internal Emergency Plan and the Information Sheets on actions to take after an accident or other emergencies.



Destroy any source of ignition. In case of fire, refrigerate the storage containers and tanks for products susceptible to inflammation, explosion or BLEVE as a result of high temperatures. Avoid spillage of the products used to extinguish the fire into an aqueous medium.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures:

Isolate leaks provided that there is no additional risk for the people performing this task.

6.2 Environmental precautions:

This product is not classified as hazardous to the environment. Keep product away from drains, surface and underground water.

6.3 Methods and material for containment and cleaning up:

It is recommended:

Absorb the spillage using sand or inert absorbent and move it to a safe place. Do not absorb in sawdust or other combustible absorbents. For any concern related to disposal consult section 13. 6.4 Reference to other sections:

See sections 8 and 13.

SECTION 7: HANDLING AND STORAGE

Precautions for safe handling:7.1

A.-Precautions for safe manipulation

- CONTINUED ON NEXT PAGE -

Page 2/9Date of compilation: 9/28/2015 Version: 1



PYK (ADHESIVOS BASE SOLVENTE) - COLA DE SILICONA PAC00029



SECTION 7: HANDLING AND STORAGE (continue)

Comply with the current legislation concerning the prevention of industrial risks. Keep containers hermetically sealed. Control spills and residues, destroying them with safe methods (section 6). Avoid leakages from the container. Maintain order and cleanliness where dangerous products are used.

B.-Technical recommendations for the prevention of fires and explosions It is recommended to

transfer at a slow speed to avoid the creation of electrostatic charges that could affect

flammable products. Consult section 10 for conditions and materials that should be

avoided. C.-Technical recommendations to prevent ergonomic and toxicological risks Do

not eat or drink during the process, washing hands afterwards with suitable cleaning

products. D.-Technical recommendations to prevent environmental risks It is not necessary

to take special measures to prevent environmental risks. For more information see

subsection 6.2

7.2 Conditions for safe storage, including any incompatibilities:

A.-Technical measures for storage

Minimum Temp.: 5 °C Maximun Temp.: 30 °C Maximum time: 9 Months

- B.-General conditions for storage Avoid sources of heat, radiation, static electricity and contact with food. For additional information see subsection 10.5
- 7.3 Specific end use(s):

Except for the instructions already specified it is not necessary to provide any special recommendation regarding the uses of this product.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters: Substances whose occupational exposure limits have to be monitored in the work environment. There are no environmental limits for the substances contained in the product

DNEL (Workers):

Non-applicable

DNEL (General population):

Non-applicable

PNEC:

Non-applicable

- 8.2 Exposure controls:
 - A.-General security and hygiene measures in the work place

As a preventative measure it is recommended to use basic Personal Protection Equipment, with the corresponding <<CE marking>> in accordance with Directive 89/686/EC. For more information on Personal Protection Equipment (storage, use, cleaning, maintenance, class of protection,...) consult the information leaflet provided by the manufacturer. For more information see subsection 7.1.

All information contained herein is a recommendation which needs some specification from the labour risk prevention services as it is not known whether the company has additional measures at its disposal.

B.-Respiratory protection

The use of protection equipment will be necessary if a mist forms or if the professional exposure limits are exceeded.

C.-Specific protection for the hands



D.- Ocular and facial protection



- CONTINUED ON NEXT PAGE

PYK (ADHESIVOS BASE SOLVENTE) - COLA DE SILICONA PAC00029



SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION (continue)

Pictogram	PPE	Labelling	CEN Standard	Remarks
Mandatory face protection	Panoramic glasses against liquid splash		EN 166:2001 EN 172:1994/A1:2000 EN 172:1994/A2:2001 EN ISO 4007:2012	Clean daily and disinfect periodically according to the manufacturer's instructions. Use if there is a risk of splashing.
Bodily protection				
Pictogram	PPE	Labelling	CEN Standard	Remarks
Mandatory complete body protection	Antistatic and fireproof protective clothing	CAT III	EN 1149-1:2006 EN 1149-2:1997 EN 1149-3:2004 EN 168:2001 EN 150 14116:2008/AC:2009 EN 1149-5:2008	Limited protection against flames.
Mandatory foot	Safety footwear with antistatic and heat resistant properties	CAT III	EN 13287:2008 EN ISO 20345:2011 EN ISO 20344:2011	Replace boots at any sign of deterioration.

Environmental exposure controls:

In accordance with the community legislation for the protection of the environment it is recommended to avoid environmental spillage of both the product and its container. For additional information see subsection 7.1.D

Volatile organic compounds:

With regard to Directive 2010/75/EU, this product has the following characteristics:

V.O.C. (Supply):	59,7 % weight
V.O.C. density at 20 ºC:	478,01 kg/m³ (478,01 g/L)
Average carbon number:	2
Average molecular weight:	46,1 g/mol

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1Information on basic physical and chemical properties:

For complete information see the product datasheet.

Appearance:

Physical state at 20 °C: Liquid Appearance: Transparent Color:

Colourless Odor: Alcohol

Volatility:

Boiling point at atmospheric pressure: 79 °C Vapour pressure at 20 °C: 6114 Pa Vapour pressure at 50 °C: 28792 Pa (29 kPa) Evaporation rate at 20 °C: Non-applicable *

Product description: Density at 20 °C: 801 kg/m³ Relative density at 20 °C: 0,801 Dynamic viscosity at 20 °C: Non-applicable *

Kinematic viscosity at 20 °C: Non-applicable *

*Not relevant due to the nature of the product, not providing information property of its hazards.



PYK (ADHESIVOS BASE SOLVENTE) - COLA DE SILICONA PAC00029



SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES (continue)

Non-applicable *Refraction index: Non-applicable *Surface tension at 20 °C: Other information:9.2 Not availableUpper flammability limit: Not availableLower flammability limit: 423 °CAutoignition temperature: 19 °CFlash Point: Flammability: Non-applicable *Melting point/freezing point: Non-applicable *Decomposition temperature: Non-applicable *Solubility properties: Non-applicable *Solubility in water at 20 °C: Non-applicable *Vapour density at 20 °C: Non-applicable *PH: Non-applicable *Concentration: Non-applicable *Kinematic viscosity at 40 °C: *Not relevant due to the nature of the product, not providing information property of its hazards.

SECTION 10: STABILITY AND REACTIVITY

See subsection 10.3, 10.4 and 10.5 to find out the specific decomposition products. Depending on the decomposition conditions, complex mixtures of chemical substances can be released: carbon dioxide (CO2), carbon monoxide and other organic compounds. Hazardous decomposition products:10.6 Not applicableNot applicableAvoid direct impactNot applicableNot applicableOthersCombustible materialsCombustive materialsWaterAcids Incompatible materials:10.5 Not applicableAvoid direct impactNot applicableNot applicableNot applicableNot applicableIncrease in temperatureContact with airShock and friction Applicable for handling and storage at room temperature: Conditions to avoid:10.4 Under the specified conditions, hazardous reactions that lead to excessive temperatures or pressure are not expected. Possibility of hazardous reactions:10.3 Chemically stable under the conditions of storage, handling and use. Chemical stability:10.2 No hazardous reactions are expected if the following technical instructions storage of chemicals. See section 7. Reactivity:10.1

SECTION 11: TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects: LD50 oral > 2000 mg/kg (rat) Dangerous health implications:

In case of exposure that is repetitive, prolonged or at concentrations higher than recommended by the occupational exposure

limits, it may result in adverse effects on health depending on the means of exposure: A.-Ingestion:

- CONTINUED ON NEXT PAGE



PYK (ADHESIVOS BASE SOLVENTE) - COLA DE SILICONA PAC00029



SECTION 11: TOXICOLOGICAL INFORMATION (continue)

- Acute toxicity: Based on available data, the classification criteria are not met

- -Corrosivity/Irritability: Based on available data, the classification criteria are not met B-Inhalation:
- Acute toxicity: Based on available data, the classification criteria are not met
- -Corrosivity/Irritability: Based on available data, the classification criteria are not met C-Contact with the skin and the eyes:
- Contact with the skin: Based on available data, the classification criteria are not met
- -Contact with the eyes: Based on available data, the classification criteria are not met D-CMR effects

(carcinogenicity, mutagenicity and toxicity to reproduction):

- Carcinogenicity: Based on available data, the classification criteria are not met
- Mutagenicity: Based on available data, the classification criteria are not met
- -Reproductive toxicity: Based on available data, the classification criteria are not met E-Sensitizing effects:
- Respiratory: Based on available data, the classification criteria are not met
- -Cutaneous: Based on available data, the classification criteria are not met F-Specific target

organ toxicity (STOT)-time exposure:

Based on available data, the classification criteria are not met G-Specific target

organ toxicity (STOT)-repeated exposure:

- Specific target organ toxicity (STOT)-repeated exposure: Based on available data, the classification criteria are not met
- Skin: Based on available data, the classification criteria are not met
- H- Aspiration hazard: Based on available data, the classification criteria are not met

Other information:

Non-applicable

Specific toxicology information on the substances:

Not available

SECTION 12: ECOLOGICAL INFORMATION

The experimental information related to the eco-toxicological properties of the product itself is not available

12.1 Toxicity:

Not available

- 12.2 Persistence and degradability:
 - Not available
- 12.3 Bioaccumulative potential:
 - Not available
- 12.4 Mobility in soil:

Not available

12.5 Results of PBT and vPvB assessment:

Non-applicable

12.6 Other adverse effects:

Not described

SECTION 13: DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods:

Code	Description	Waste class (Regulation (EU) No 1357/2014)
08 04 09*	Waste adhesives and sealants containing organic solvents or other dangerous substances	Dangerous

Type of waste (Regulation (EU) No 1357/2014):



PYK (ADHESIVOS BASE SOLVENTE) - COLA DE SILICONA PAC00029



SECTION 13: DISPOSAL CONSIDERATIONS (continue)

HP3 Flammable

Waste management (disposal and evaluation):

Consult the authorized waste service manager on the assessment and disposal operations in accordance with Annex 1 and Annex 2 (Directive 2008/98/EC). As under 15 01 (2014/955/EC) of the code and in case the container has been in direct contact with the product, it will be processed the same way as the actual product. Otherwise, it will be processed as non-dangerous residue. We do not recommended disposal down the drain. See paragraph 6.2.

Regulations related to waste management:

In accordance with Annex II of Regulation (EC) n°1907/2006 (REACH) the community or state provisions related to waste management are stated Community legislation: Directive 2008/98/EC, 2014/955/EU, Regulation (EU) No 1357/2014

SECTION 14: TRANSPORT INFORMATION

Transport of dangerous goods by land: With regard to ADR 2015 and RID 2015:

14.1 UN number: UN1133



14.2	UN proper shipping name:	ADHESIVES liquid
14.3	Transport hazard class(es):	3
	Labels:	3
14.4	Packing group:	П
14.5	Dangerous for the	No

ADHESIVES containing flammable iquid 3 environment: 14.6 Special precautions for user Special regulations: Tunnel restriction code: Physico-Chemical properties: Limited quantities:

14.7 Transport in bulk according to Annex II of Marpol and the IBC Code: Transport of dangerous goods by sea: With regard to IMDG 37-14:

14.1 UN number:



14.2 UN proper shipping name: 14.3 Transport hazard class(es):

Labels:

14.4 Packing group:14.5 Dangerous for the environment:640D D/E see section 9 5 L Non-applicable

UN1133 ADHESIVES containing flammable liquid 3 3 II No

14.6	Special precautions for user		
	Special regulations:	944	
	EmS Codes:	F-E, S-D	
	Physico-Chemical properties:	see section 9	
	Limited quantities:	5 L	
14.7	Transport in bulk according	Non-applicable	
	to Annex II of Marpol and		
	the IBC Code:		
Trans	sport of dangerous goods by air:		

With regard to IATA/ICAO 2015:

- CONTINUED ON NEXT PAGE



PYK (ADHESIVOS BASE SOLVENTE) - COLA DE SILICONA PAC00029



SECTION 14: TRANSPORT INFORMATION (continue)



14.1	UN number:	UN1133
14.2	UN proper shipping name:	ADHESIVES containing flammable liquid
14.3	Transport hazard class(es):	3
	Labels:	3
14.4	Packing group:	II
14.5	Dangerous for the	No
	environment:	
14.6	Special precautions for user	
	Physico-Chemical properties:	see section 9
14.7	Transport in bulk according	Non-applicable
	to Annex II of Marpol and	
	the IBC Code:	

SECTION 15: REGULATORY INFORMATION

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture: Candidate substances for authorisation under the Regulation (EC) 1907/2006 (REACH): Non-applicable Substances included in Annex XIV of REACH ("Authorisation List") and sunset date: Non-applicable Regulation (EC) 1005/2009, about substances that deplete the ozone layer: Non-applicable Active substances for which a decision of non-inclusion onto Annex I (Regulation (EU) No 528/2012): Non-applicable REGULATION (EU) No 649/2012, in relation to the import and export of hazardous chemical products: Non-applicable Limitations to commercialisation and the use of certain dangerous substances and mixtures (Annex XVII, REACH):

Shall not be used, as substance or as mixtures in aerosol dispensers where these aerosol dispensers are intended for supply to the general public for entertainment and decorative purposes such as the following:

- metallic glitter intended mainly for decoration,
- artificial snow and frost,
- "whoopee" cushions,
- silly string aerosols,
- imitation excrement,
- horns for parties,
- decorative flakes and foams,
- artificial cobwebs,
- stink bombs.

Specific provisions in terms of protecting people or the environment:

It is recommended to use the information included in this safety data sheet as data used in a risk evaluation of the local circumstances in order to establish the necessary risk prevention measures for the manipulation, use, storage and disposal of this product. Other legislation:

The product could be affected by sectorial legislation

15.2 Chemical safety assessment:

The supplier has not carried out evaluation of chemical safety.

SECTION 16: OTHER INFORMATION

Legislation related to safety data sheets:

This safety data sheet has been designed in accordance with ANNEX II-Guide to the compilation of safety data sheets of Regulation (EC) N° 1907/2006 (Regulation (EU) N° 453/2010, Regulation (EC) N° 2015/830)

Modifications related to the previous security card which concerns the ways of managing risks. : Non-applicable

Texts of the legislative phrases mentioned in section 2:

H225: Highly flammable liquid and vapour

Texts of the legislative phrases mentioned in section 3:

The phrases indicated do not refer to the product itself; they are present merely for informative purposes and refer to the individual components which appear in section 3

CLP Regulation (EC) nº 1272/2008:



PYK (ADHESIVOS BASE SOLVENTE) - COLA DE SILICONA PAC00029



SECTION 16: OTHER INFORMATION (continue)

Non-applicable Classification procedure: Flam. Liq. 2: Calculation method (2.6.4.3) Advice related to training: Minimal training is recommended to prevent industrial risks for staff using this product, in order to facilitate their comprehension and interpretation of this safety data sheet, as well as the label on the product. Principal bibliographical sources: http://esis.jrc.ec.europa.eu http://echa.europa.eu

Abbreviations and acronyms:

-ADR: European agreement concerning the international carriage of dangerous goods by road -IMDG: International maritime dangerous goods code -IATA: International Air Transport Association -ICAO: International Civil Aviation Organisation -COD: Chemical Oxygen Demand -BOD5: 5-day biochemical oxygen demand -BCF: Bioconcentration factor -LD50: Lethal Dose 50 -CL50: Lethal Concentration 50 -EC50: Effective concentration 50 -Log-POW: Octanol–water partition coefficient -Koc: Partition coefficient of organic carbon. The information contained in this safety data sheet is based on sources, technical knowledge and current legislation at European and state level, without being able to guarantee its accuracy. This information cannot be considered a guarantee of the properties of the product, it is simply a description of the security requirements. The occupational methodology and conditions for users of this product are not within our awareness or control, and it is ultimately the responsibility of the user to take the necessary measures to obtain the legal requirements concerning the manipulation, storage, use and disposal of chemical products. The information on this safety data sheet only refers to this product, which should not be used for needs other than those specified.